

Northwest Community EMSS – ALS Amb. Inspection Form	Date of inspection:
Provider Agency:	VIN # (Last 4):
Inspection completed by:	License Plate and Local ID number:

State standard BLS Supplies: (IDPH rep will use their inspection form) System specific ALS requirements: Note below

# present	# needed	Products must meet the specifications listed on the EMS Drug and Supply list				PACKAGING
MEDICATIONS (Keep packaged in the original containers, to facilitate correct identification)						
	6 tabs or 1 bottle	Acetaminophen or liquid equivalent				160 mg chewable tablets or liquid
	1 opt	Acetaminophen inj. for IV infusion				1000 mg / 100 mL (vials or premix bags)
	3	Adenosine				6 mg / 2 mL
	3	Albuterol				2.5 mg / 3 mL (0.083%)
	3	Amiodarone				150 mg / 3 mL amp
	4 tabs	ASA chewable				81 mg / tablet
	6	Atropine sulfate				1 mg / 10 mL preload
	1	Diphenhydramine for IVP				50 mg / 1 mL
	2 tabs	Diphenhydramine for PO route				50 mg tablets
	OPT	Calcium gluconate 2.5% (Calgonate) gel				25-gram tube
	2	Dextrose 10% (D10W)				25 g / 250 mL
	10	Epinephrine 1 mg/10 mL or approved alternate				1 mg / 10 mL preload
	4	Epinephrine 1mg/1mL				1 mg / 1 mL
	40 mg	Etomidate				40 mg / 20 mL or 20 mg/10 mL
	300mg*	Fentanyl	*CONTROLLED SUBSTANCE In LOCKED CONTAINER	YES	NO	100 mcg / 2 mL or 50mcg/1 mL
	(2)*	OR Morphine 10 mg (if able) – if fentanyl unavailable				
	1	Glucagon				1 mg powder / 1 mL diluent
	3	Ipratropium bromide 0.02% (Atrovent)				0.5 mg in 2.5 mL NS
	500 mg*	Ketamine	*CONTROLLED SUBSTANCE IN LOCKED CONTAINER	YES	NO	500 mg/10 mL (50 mg/mL) or other combination of 50 mg/mL to total 500 mg
	2	Lidocaine 2%				100 mg / 5 mL preload
	4 Gm	Magnesium sulfate 50%				(1 ea.) 5 Gm / 10 mL OR (4 ea.) 1 Gm / 2 mL or (2 ea.) 2 Gm in 50 mL NS IVPB
	2*	Midazolam	*CONTROLLED SUBSTANCE IN LOCKED CONTAINER	YES	NO	10 mg / 2 mL
	(2)*	OR Diazepam 10 mg – if midazolam unavailable				
	4	Naloxone				2 mg / 2 mL
	1 bottle	Nitroglycerin				0.4 mg (1/150 gr) tabs
	OPT	Nitrous oxide				
	1	Norepinephrine & 2 preprinted labels for IV and tubing				4mg / 4mL (vial preferred)
	2	Ondansetron (IV)				2 mg / mL (2 mL vial)
	2	Ondansetron (ODT)				4 mg ODT blister packs
	1	Sodium bicarbonate 8.4%				50 mEq / 50 mL preload
	1	Tetracaine ophthalmic solution				0.5% / 1-2 mL
	2	Verapamil				5 mg
	2	Normal saline (sterile)				1000 mL irrigation bottle
	3	IV solution: Normal saline (1 in warmer; 2 room temp)				1000 mL bag
	1	IV solution: Normal saline				250 mL bag
	2 opt.	IV solution: NS for use with Sapphire pump ONLY				50 mL bags 100mL bags (alt if shortage)
	2	NS injection (keep 1 w/ EZ-IO supplies)				10 mL preload syringes
	4	Medication labels (for meds drawn up in to syringes by one person and given by another) May use adhesive mailing labels on which the medication name & concentration can be written.				

Provider Agency:	License plate #:
------------------	------------------

# present	# needed	Products must meet the specifications listed on the EMS Drug and Supply list	PACKAGING
AIRWAY EQUIPMENT			
	2 each	Endotracheal tubes: High volume/low pressure cuff - stored in sterile packaging. 6 or 6.5mm, 7 or 7.5mm (cuffed for use with ProVu hyperacute non-channeled blade)	
	3 packets	Water soluble lubricant (individual packets)	
Choking kit			
For Pediatrics:			
	1	Adult or Peds laryngoscope handle (Welch-Allyn or Rusch compatible with disposable blade) & batteries	
	1	Disposable laryngoscope blade – Size #1, Miller (standard or fiber-optic. Ensure compatibility between blade and handle)	
Utilization of ProVu in conjunction with below equipment:			
	1	Magill or uterine curved ring forceps for FB removal	
Adult intubation laryngoscopy equipment:			
	1	Flexicare ProVu Reusable 3.5" Video Monitor Display, charging cable and charging dock #040-07-0035U	
	1	ProVu Reusable 3.5" Video Monitor Silicone Protective Casing #038-990-015U	
	2	ProVu Single Use Video Laryngoscope Handle with Hyper Blade Size 3.5 #040-08-2135U	
	1	ProVu Single-Use Rigid Stylet Size Large #040-08-2030U	
i-gel® Supraglottic airway (Resus pack includes i-gel, lube, strap)			
	1	Size: 5, large Adult; 4, medium Adult; 3, small Adult; 2.5, large Ped; 2.0, small Ped; 1.5, infant	
	1 ea.	ETT holders –Thomas Select (adult and pediatric) Laerdal	
Cricothyrotomy supplies: Recommend store as a kit			
	2	Skin prep: Chlorhexidine gluconate 2% w/ isopropyl alcohol 70% (CHG/IPA) preferred	
	1	10-14g catheter for needle cric	
	1 each	ETT: 6mm for adults; Alternative: SunMed 6mm (24Fr) Tracheostomy Tube - Cuffed 4mm, or 5mm uncuffed or cuffed (for peds surgical cric (8-12 y/o)	
	2 each	Adaptor to connect catheter to bag-valve device: 3 mL syringe & 7-7.5 mm ET tube adaptor	
	1	ETCO ₂ in line sensor	
	1	6-10 mL syringe (to function as EDD when performing needle cric; inflate cuff if surgical cric)	
	1	Curved Kelly hemostat clamp or spreader; tracheal hook preferred but optional	
	1	#11 Scalpel	
	1 ea. size	Bougie with Coude Tip – disposable (required for surgical crics) – Adult: Bougie-to-go 15 FR x 60cm preferred	
	1 opt.	Pulmonary Control-Cric Kit: with Cric-Knife, Cric-Key, 10mL syringe, neck strap, ET tube	
	1 opt.	VBM Jet-Vent Needle Cric Kit: with 5-10mL syringe, neck strap, 14g catheter (ref# 30-02-914-1)	
OXYGEN/DELIVERY DEVICES			
	1	Mercury Medical Flow-Safe II EZ CPAP System Model #10-57318 (large mask with one O ₂ source, built-in neb)	
	1	Nebulizer: acorn type with tee adaptor oxygen tubing, mouthpiece and flex-tube	
	1	"In-line" Nebulizer adaptor kit for BVM/ET (preassembled in labeled bag) (15 mm + 22 mm: Hudson RCI multi-adaptor cat. No. 1422 and Universal cuff adapter cat. no. 1421)	
	1 opt.	Zoll Z ventilator, Auto-Vent, Pneupac® VR1 automatic resuscitator ventilator or approved equivalent, Hamilton T1, Ventway Sparrow	
	2	MAD® (Mucosal Atomization Device) or approved alternative with or without syringe attached (Teleflex)	

Provider Agency:	License plate #:
------------------	------------------

# present	# needed	Products must meet the specifications listed on the EMS Drug and Supply list	PACKAGING
VASCULAR ACCESS SUPPLIES			
	2	IV tubing: Macro drip 10, 15 or 20 gtt/mL - needleless required:	
	1 opt	IV tubing: Mini (micro) drip 60 mcgtts/mL (required for gravity drip norepinephrine without pump)	
	2	J-loops / IV extension sets (mandatory for IV starts if not using BD Nexiva)	
Catheter-over-the-needle devices: BD Nexiva™ closed IV catheter System with dual OR single lumen port per D&S List			
	2	14 gauge 1.25" or 2"	
	2	16 gauge 1.25"	
	2	18 gauge 1.25" - BD Nexiva closed IV catheter System	
	2	20 gauge 1" - BD Nexiva closed IV catheter System	
	2	22 gauge 1" - BD Nexiva closed IV catheter System	
	2	24 gauge ¾" - BD Nexiva closed IV catheter System	
	2 opt.	Disposable IV start pack (Becton-Dickinson or equivalent) with CHG/IPA skin prep	
	2	IV protective dressing (Tegaderm, OpSite, or Veni-Gard) (preferably in IV start pack)	
	2	Venous constricting bands (preferably in IV start pack)	
	1	Padded arm boards	
	1 opt	Sapphire infusion pump + (2) AP403 infusion sets Pump must be configured with System standard master drug library prior to deployment.	
	1	IV fluid warmer device or drawer	
	1 opt	Modular IV kit (Insulating bag for keeping IV fluids warm): Conterra IVK1-I; info@conterra-inc.com	
Intraosseous supplies for front-line ALS ambulances only: Recommend package as a unit in one case.			
	1	Driver stored in soft or hard sided case.	
	2	45 mm (Yellow) 15 g needle with stabilizer kit	
	1	25 mm (Blue) 15 g needle with stabilizer kit	
	1	15 mm (Pink) 15 g needle with stabilizer kit	
	3	EZ-connect® extension sets (supplied w/ needles)	
	1	IV Pressure infuser for 1000 mL IV bag (may be disposable)	
	1	10 mL (sterile NS prefilled) syringe (to prime connect tubing and flush IO)	
	1	10 mL syringe for 2% Lidocaine flush	
	2	Skin prep: Chlorhexidine gluconate (CHG 2%) & alcohol (IPA 70%) – (Chloraprep®)	
SYRINGES/NEEDLES/SUPPLIES			
	2	10 ga Catheter over the needle device; 3" long (Deseret 10 ga #2820) for pleural decompression Alternative: 10 ga 3.25" needles: North American Rescue.	
	2	18 gauge, 1-1½" needles	
	2	21-22 gauge, 1½" needles (for IM injections)	
	2	25 gauge, 5/8-1" needles	
	2	Filter needles 18 g x 1½" or straws	
	3	Blunt tip safety needles (for drawing medications from vials)	
	1 opt	Braun® Fluid Dispensing Connector - BLUE (B. BRAUN MEDICAL, INC); multiple vendors carry	
	1	Sharps container	
	1 opt	Russell PneumoFix™: Tipped needle; 12-gauge; 11 cm long w/ one-way valve to vent tension pneumo.	
	2 ea.	3 mL; 6 mL; 10-12 mL; 20 mL disposable syringes	
	2	1 mL syringe (luer-lock preferred)	
	1	50-60 mL syringe (luer-lock, not irrigation tip)	

Provider Agency:	License plate #:
------------------	------------------

# present	# needed	Products must meet the specifications listed on the EMS Drug and Supply list	PACKAGING
DIAGNOSTIC MONITORING EQUIPMENT			
	1	Cardiac monitor/defibrillator w/ pacing, 12-L ECG, SpO ₂ ; quantitative waveform capnography - approved units per D&S list	
	Monitor specific	Real-time CPR feedback - Required before any piston-type mechanical CPR device is deployed. ZOLL CPR Stat Padz, HVP Multi-Function; PhysioControl: TrueCPR™ Coaching Device	
	1	Patient electrode cable - System approved	
	2	Extra charged batteries and battery support charger available	
	2 rolls	ECG paper suitable for the monitor	
	2 sets 1 each Min 20	Pace-defib Pads - Cardiac monitor manufacturer-specific – Adult + 1 set Peds 3, 4 or 5-lead and 12-lead monitoring cables Monitoring electrodes (store in closed pkg. to maintain moist gel) Ambu, Zoll or 3M Red Dot	
	1	Washcloth (or towel) to prep skin for 12-L ECG (suggest keep washcloth in monitor pouch)	
	10	Alcohol skin prep pads (for 12-L ECGs only)	
	1	Pulse oximeter (adult & peds): Units installed in approved cardiac monitors preferred. Must include: non-disposable peripheral AND central sensors (ear clip or Y sensor). PEDS: Adult Y-sensors can be used for child, infant, neonate. May also use: adhesive sensors. (Approved stand-alone units: BCI, Novamatrix, Nellcor, PaceTech)	
	1 ea. per brand monitor carried	Capnography: Side/microstream w/ waveform; units on System-approved cardiac monitor defibrillators need NC plus in-line ETCO ₂ sensors (Stand-alone units need system approval): Physio, ZOLL X-series: - Spontaneously breathing - Oridion Microstream Smart CapnoLine Plus O₂, 100/case, # 010210 - Spontaneously breathing - Oridion Microstream Smart CapnoLine Plus O₂, Pediatric #007269 - Assisted ventilation - Oridion, Microstream FilterLine Set, 100/case, # 010579 ZOLL - E & M series: - Spont. breathing - Oral/Nasal CO₂ w/O₂ cannula Adult (10/box ref # 8000-0358) - Spont. breathing - Oral/Nasal CO₂ w/O₂ cannula Peds (10/box ref # 8000-0359) - Assisted ventilation - Airway Adapter Kit, Adult/Pediatric (10/box ref # 8000-0362) - Hudson RCI product cat# 1768 "step-down adapter" (25/case) ZOLL – Zenix series (agency responsible for purchasing): - Spont. breathing – Masimo NomoLine Adult Nasal CO₂ w/O₂ (25/BX MAS-4459, ref# 8000-010113) - Spont. breathing – Masimo NomoLine Peds Nasal CO₂ w/O₂ (25/BX MAS-4460, ref# 8000-010114) - Asst vent – Masimo NomoLine Adult/Peds Airway Adaptor (25/BX MAS4454, ref# 8000-010115)	
GLUCOSE METERS/TESTING SUPPLIES			
**	1	Fora GD20 Glucometer	
	1 bottle*	Fora GD20 glucose test strps – label w/ discard date (90 days after opening) - *minimum 5 strips	
	1 ea.	Fora GD20 Hi/Lo test solution – label w/ discard date (90 days after opening)	
MISCELLANEOUS SUPPLIES: ALS - optional to check			
	1 opt	Chest compression mechanical CPR Device: Lifeline ARM (Defibtech); LUCAS™ 2 or 3 Chest Compression System; or ROSC-U: Bound Tree Medical	
	1	ResQPOD® impedance threshold device	
	1 set of 4	Restraints: arm and leg sets; leather or commercially available equivalent; buckle or Velcro types, no key locks.	
	2	Chest seals: Vented w/ exhaust valve (Bolin) or laminated vent channel (ITLS). Hyfin seals in Region 9 Mass Violence Kits OK	
COMMUNICATIONS EQUIPMENT			
	1	Portable UHF radio with charger (General Devices, APCOR or equivalent) with touch pad adaptor and UHF 4- channel capability (Med 1, 5, 6 and 8) or cellular phone (tested and working)	

Comments:

--

Name of EMS Agency Inspector (PRINT)

Signature

NCH EMS System Administrative Director

Date approved